

Nylon Restraints

TM

HEAVY DUTY RESTRAINTS AND KITS FOR LAW ENFORCEMENT PROFESSIONALS
FBI | DEA | SWAT | POLICE | MILITARY | CORRECTIONAL FACILITIES



DOUBLE LOOP 200-D / 300-DL

Our 200-D and 300-DL feature a unique double loop system that encloses each wrist or ankle separately. Self locking with smooth rounded edges.

200-D:


3/8" WIDE X 25" LONG
LOOP STRENGTH 200+ LBS

- NATURAL OR BLACK
- 200 / 400 UNITS PER CASE
- 20 UNITS PER BAG

300-DL:

1/2" WIDE X 28" LONG
LOOP STRENGTH 300+ LBS

- NATURAL OR BLACK
- 200 / 400 UNITS PER CASE
- 20 UNITS PER BAG



COMPACT HANDCUFF™ C-500-D

Outer locking design allows for optimal control of suspect for ease of use. Requires limited storage space, is easily concealed and allows for carrying several cuffs at once.

1/2" WIDE - 2 INDIVIDUAL 15" LOOPS
LOOP STRENGTH 300+ LBS EA. LOOP
COMPACT SIZE 2"

- NATURAL OR BLACK
- 48 UNITS PER CASE
- 2 AND 4 PACKS



SINGLE LOOP 200-S / 300-S

Our 200-S and 300-S single loop restraints are self locking with smooth, rounded edges. Easy to use writeable surface.

200-S:

3/8" WIDE X 20" OR 24" LONG
LOOP STRENGTH 200+ LBS

- NATURAL OR BLACK
- 1000 UNITS PER CASE
- 100 UNITS PER BAG
- PACKS OF 10

300-S:

1/2" WIDE X 22" LONG
LOOP STRENGTH 300+ LBS

- NATURAL OR BLACK
- 1000 UNITS PER CASE
- 100 UNITS PER BAG
- PACKS OF 10



HANDCUFF 500-D

Our unique 500-D has an outer locking design that allows for optimal control of a subject. Self locking with smooth rounded edges.

1/2" WIDE
2 INDIVIDUAL 15" LOOPS
LOOP STRENGTH 300+ LBS EA. LOOP

- NATURAL OR BLACK
- 200 / 300 UNITS PER CASE
- 10 UNITS PER BAG



POCKET CUFF™ C-300-S

Designed for ease of use. The Pocket Cuff™ requires limited storage space, is easily concealed and allows for carrying several cuffs at once.

1/2" WIDE X 22" LONG
LOOP STRENGTH 300+ LBS
COMPACT SIZE 2"

- NATURAL OR BLACK
- 48 UNITS PER CASE
- 3 AND 6 PACKS





FIRST RESPONDER 3 PACK POCKET CUFF™ KIT

All PPE needed for first responders organized in a handy carrying case, for ease of use and concealment, along with a 3PK of our POCKET CUFFS™.

NB-400-3 KIT WITH CARRYING CASE INCLUDES:

- 3 POCKET CUFF™ (C-300-S) IN RESEALABLE PKG.
- 1/2" WIDE X 22" LONG
- LOOP STRENGTH 300+ LBS
- COMPACT SIZE 2"
- 7" SNUB NOSE CUTTER (SN-6)
- PLASTIC COATED HANDLES
- *CAN SUBSTITUTE EZSC FOR CUTTER
- 1 PAIR NITRILE GLOVES
- 2 PURELL® SANATIZING HAND WIPES
- *RESTRICTIONS ON AIR SHIPMENTS, CONSULT MSDS.



6 PACK POCKET CUFF™ KIT

This handy kit provides all its items organized in a handy carrying case to ensure ease of use, as well as, concealment when necessary.

NB-300 KIT WITH CARRYING CASE INCLUDES:

- 6 POCKET CUFF™ (C-300-S) IN RESEALABLE PKG.
- 1/2" WIDE X 22" LONG
- LOOP STRENGTH 300+ LBS
- COMPACT SIZE 2"

- 6" SAFETY CUTTER (EZSC)
- PLASTIC COATED HANDLES
- CLOSING LOCK FEATURE
- SPRING MECHANISM OPENS CUTTER
- *CAN SUBSTITUTE SN-6 FOR CUTTER



4 PACK COMPACT HANDCUFF KIT

This handy kit provides all its items organized in a handy carrying case to ensure ease of use, as well as, concealment when necessary.

NB-500 KIT WITH CARRYING CASE INCLUDES:

- 4 COMPACT HANDCUFF (C-500-D) IN RESEALABLE PKG.
- 1/2" WIDE - 2 INDIVIDUAL 15" LOOPS
- LOOP STRENGTH 300+ LBS EA. LOOP
- COMPACT SIZE 5"

- 6" SAFETY CUTTER (EZSC)
- PLASTIC COATED HANDLES
- CLOSING LOCK FEATURE
- SPRING MECHANISM OPENS CUTTER
- *CAN SUBSTITUTE SN-6 FOR CUTTER

SAFETY CUTTERS

SAFETY CUTTERS EZSC

The EZSC is designed to cut nylon restraints and other material.

- 6" SAFETY CUTTER
- PLASTIC COATED HANDLES
- CLOSING LOCK FEATURE
- SPRING MECHANISM OPENS CUTTER



SAFETY CUTTERS SN-6

The SN-6 is designed to cut nylon restraints and other material.

- 5" SNUB NOSE SAFETY CUTTER
- 7" SNUB NOSE SAFETY CUTTER
- PLASTIC COATED HANDLES



PRODUCT SPECIFICATIONS

200-D (DOUBLE LOOP RESTRAINT)*

HEAD PAWL:	SINGLE LOCKING HEAD
MATERIAL:	HIGH TENSILE STRENGTH NYLON 6/6
LOOP STRENGTH	200 + LBS
STRAP LENGTH:	25 INCHES
STRAP TEETH LENGTH:	18.75
STRAP WIDTH:	0.350 INCH
STRAP THICKNESS:	0.083 INCHES
HEAD WIDTH:	0.560 INCHES
HEAD LENGTH:	0.425 INCHES
HEAD HEIGHT:	0.325 INCHES
STRAP INSERTION FORCE:	<10 LBS
BRIDGE:	SLIDING, SELF-POSITIONING

200-S (SINGLE RESTRAINT)*

HEAD PAWL:	SINGLE LOCKING HEAD
MATERIAL:	HIGH TENSILE STRENGTH NYLON 6/6
LOOP STRENGTH	200 + LBS
STRAP LENGTH:	20 OR 24 INCHES
STRAP TEETH LENGTH:	19 INCHES
STRAP WIDTH:	0.350 INCHES
STRAP THICKNESS:	0.083 INCHES
HEAD WIDTH:	0.560 INCHES
HEAD LENGTH:	0.425 INCHES
HEAD HEIGHT:	0.325 INCHES
STRAP INSERTION FORCE:	<10 LBS

300-DL (DOUBLE LOOP RESTRAINT)*

HEAD PAWL:	DOUBLE LOCKING HEAD
MATERIAL:	HIGH TENSILE STRENGTH NYLON 6/6
LOOP STRENGTH	300 + LBS
STRAP LENGTH:	28.75 INCHES
STRAP TEETH LENGTH:	26.75 INCHES
LOOP LENGTH:	20.0 INCHES (AVERAGE)
STRAP WIDTH:	0.500 INCHES
STRAP THICKNESS:	0.083 INCHES
HEAD WIDTH:	0.875 INCHES
HEAD LENGTH:	0.530 INCHES
HEAD HEIGHT:	0.400 INCHES
STRAP INSERTION FORCE:	<10 LBS
BRIDGE:	SLIDING SELF-POSITIONING

300-S / C-300-S POCKET CUFF (SINGLE RESTRAINT)*

HEAD PAWL:	DOUBLE LOCKING HEAD
MATERIAL:	HIGH TENSILE STRENGTH NYLON 6/6
LOOP STRENGTH	300 + LBS
STRAP LENGTH:	22.0 INCHES
STRAP TEETH LENGTH:	18.0 INCHES
STRAP WIDTH:	0.500 INCHES
STRAP THICKNESS:	0.083 INCHES
HEAD WIDTH:	0.875 INCHES
HEAD LENGTH:	0.530 INCHES
HEAD HEIGHT:	0.400 INCHES
STRAP INSERTION FORCE:	<10 LBS

500-D / C-500-D

COMPACT HANDCUFF (DOUBLE LOOP RESTRAINT)*

HEAD PAWL:	DOUBLE LOCKING HEADS
MATERIAL:	HIGH TENSILE STRENGTH NYLON 6/6
LOOP STRENGTH	300 + LBS EA. LOOP
STRAP LENGTH:	30 INCHES (2 INDIVIDUAL 15" RESTRAINTS)
STRAP TEETH LENGTH:	13 INCHES (EACH RESTRAINT)
STRAP WIDTH:	0.500 INCH
STRAP THICKNESS:	0.083 INCHES
HEAD WIDTH:	0.875 INCHES
HEAD LENGTH:	0.530 INCHES
HEAD HEIGHT:	0.400 INCHES
STRAP INSERTION FORCE:	<10 LBS
BRIDGE:	FIXED



Toll Free 888.223.8222

Local 847.549.1550 | Fax 847.549.1558

1840 Industrial Drive, Suite 260 | Libertyville, IL 60048

www.ezcuff.com | orders@ezcuff.com

©EZ Cuff 2009 All Rights Reserved. No unauthorized use of images.

*Independent testing has proven our products to be one of the strongest on the market.

